

LED line PRIME

Code: 210691

EAN: 5905378210691

**Connector X for 3 phase track
LUMICANTO black with feeding PRIME**

The X-connector for LUMICANTO rail in black is an innovative PRIME LED line solution that combines functionality with modern design. Designed for installation in rail systems, it provides reliable connection and aesthetics. It offers high quality performance and durability, guaranteeing satisfaction for long years.



Technical data

Parameter	Value
Warranty	5/7*
IEC protection class	I
Rated power	220-240V AC
Rated current	16A
Mounting type	3 phase rail
Frequency of the supply voltage	50/60Hz
Ambient temperature suitable for operation	5÷40

Parameter	Value
Length	162
Width	162
Height	32
Power supply connection	tak
Equivalent	XTS 38
Colour	Black
Material (housing)	Plastic

LED line PRIME

Code: 210691


EAN: 5905378210691

**Connector X for 3 phase track
LUMICANTO black with feeding PRIME**




Technical drawing

Light distribution

Additional product photos



Logistics data



Single packaging

Width	160 mm
Height	30 mm
Length	160 mm
Weight	0,18 kg

Bulk packaging

Quantity	50
Width	300 mm
Height	300 mm
Length	450 mm
Volume	0,040 m ³
Weight	10 kg

Europallet

Height	1800 mm
Quantity in layer	200
Number of layers	6
Bulk quantity	1200
Weight	189,6 kg

LED line PRIME

Code: 210691

EAN: 5905378210691

**Connector X for 3 phase track
LUMICANTO black with feeding PRIME**

Example application