

LED line PRIME

Code: 210721

EAN: 5905378210721

**Connector T for 3 phase track  
LUMICANTO right white with feeding  
option PRIME**

The T-connector for the LUMICANTO tube is an innovative solution, ideal for professional lighting systems. Made of high quality plastic, it ensures durability and reliability in operation. With 220-240V DC working voltage and 16A rated current, it combines functionality with aesthetics. Available in an elegant white color, it harmoniously fits into a variety of arrangements.



**Technical data**

Parameter	Value
Warranty	5/7*
IEC protection class	I
Rated power	220-240V DC
Rated current	16A
Mounting type	3 phase rail
Frequency of the supply voltage	50/60Hz
Ambient temperature suitable for operation	5÷40

Parameter	Value
Length	163
Width	98
Height	32
Power supply connection	tak
Equivalent	XTS 39
Colour	White
Material (housing)	Plastic

LED line PRIME

Code: 210721

EAN: 5905378210721

**Connector T for 3 phase track  
LUMICANTO right white with feeding  
option PRIME**

Technical drawing

Light distribution

Additional product photos



Logistics data




**Single packaging**

Width	160 mm
Height	30 mm
Length	100 mm
Weight	0,14 kg



**Bulk packaging**

Quantity	50
Width	250 mm
Height	200 mm
Length	300 mm
Volume	0,015 m <sup>3</sup>
Weight	7,35 kg



**Europallet**

Height	1750 mm
Quantity in layer	800
Number of layers	7
Bulk quantity	5600
Weight	823,2 kg

---

LED line PRIME

Code: 210721

EAN: 5905378210721

**Connector T for 3 phase track  
LUMICANTO right white with feeding  
option PRIME**

---

Example application