

LED line PRIME


Code: 241208

EAN: 5901583241208

LED line downlight aluminium square adjustable SLIM black brushed AKROS



SLIM black LED line PRIME is an innovative solution that combines modern design with functionality. Made of aluminum and available in elegant black finish, it guarantees durability and aesthetics. Thanks to the possibility of adjusting the lighting angle to 35°, it allows precise steering of the light in the desired direction.



Technical data

Parameter	Value
Warranty	5
IP protection rating	IP20
IEC protection class	III
Maximum suitable lamp power	35 W
Lamp's diameter	50 mm
Y-axis angle regulation	35
Type of surface suitable for installation	F
Distance from illuminated surface	0.5 m

Parameter	Value
Installation method	recessed
Mounting hole diameter	85
Length	92
Width	92
Height	25
Colour	black
Material (housing)	Aluminium


LED line PRIME

Code: 241208

EAN: 5901583241208

LED line downlight aluminium square adjustable SLIM black brushed AKROS


Technical drawing



Light distribution


Additional product photos

Logistics data




Single packaging

Width	90 mm
Height	90 mm
Length	40 mm
Weight	0,08 kg



Bulk packaging

Quantity	100
Width	520 mm
Height	220 mm
Length	440 mm
Volume	0,050 m3
Weight	11 kg
Comments	



Europallet

Quantity	1600
Height	1760 mm
Quantity in layer	200
Number of layers	8
Bulk quantity	1600
Weight	176 kg

---

LED line PRIME

Code: 241208

EAN: 5901583241208

**LED line downlight aluminium square  
adjustable SLIM black brushed AKROS**

---

**Example application**