

LED line PRIME

Code: 210226-CAW3HAT

EAN: 5905378220577

Hermetic luminaire RANGER 4000K 25-55W 9900lm IP66 150cm gray PRIME emergency module CAW 3h AT CNBOP



The hermetic fixture RANGER 25-55W 4000K 9900lm is an efficient lighting solution characterized by a high degree of protection IP66 and impact resistance IK10. The use of LED technology ensures a luminous flux of up to 9900 lumens with a power of 25 to 55 W. The product operates within a voltage range of 220-240 V AC, and its color temperature is 4000 K.

Version with emergency module 3h + Autotest with CNBOP certification.

Product made to order - delivery within 10 days.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	C
Warranty	5
Power	• 25-55 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP66
IK protection rating	10
IEC protection class	I
Luminous efficacy	180
Luminous flux	9900
The lumen maintenance factor	96
Lifetime L70B50	100 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Beam angle	120
LED type	SMD2835
LED quantity	372
Power Factor	0,9
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-25÷45
Length	1510 mm
Width	80 mm
Height	69 mm
Weight	2,05 kg
Colour	Grey
Material (housing)	Polycarbonate
Material (cover)	Polycarbonate
Emergency module	• YES


LED line PRIME

Code: 210226-CAW3HAT


EAN: 5905378220577

Hermetic luminaire RANGER 4000K 25-55W 9900lm IP66 150cm gray PRIME emergency module CAW 3h AT CNBOP

Technical drawing




Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	83 mm
Height	82 mm
Length	1515 mm
Weight	2,23 kg

Bulk packaging

Quantity	9
Width	273 mm
Height	242 mm
Length	1532 mm
Weight	22,9 kg

Europallet

Quantity	108
Height	1750 mm
Quantity in layer	
Number of layers	
Bulk quantity	12
Weight	300 kg

LED line PRIME

Code: 210226-CAW3HAT

EAN: 5905378220577

**Hermetic luminaire RANGER 4000K 25-
55W 9900lm IP66 150cm gray PRIME
emergency module CAW 3h AT CNBOP**

Example application