

LED line PRIME


Code: 248603-II

EAN: 5905378201538

LED bulb GU10 6500K 10W 1400lm 230V
120° Ceramic PRIME



LED bulb GU10 10W by LED line PRIME is an advanced light source that provides excellent energy efficiency. It emits a cool, white light with a colour temperature of 6500 K, reaching a luminous flux of 1,400 lumens. It is characterized by a light angle of 120°, allowing the uniform distribution of light in space.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 10 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 6500 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	140
Luminous flux	1400 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	GU10
Beam angle	120 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Height	55 mm
Weight	0,055 kg
Colour	White
Material	Ceramic
Material (housing)	Ceramics


LED line PRIME

Code: 248603-II


EAN: 5905378201538

LED bulb GU10 6500K 10W 1400lm 230V
120° Ceramic PRIME


Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	1
Width	50 mm
Height	63 mm
Length	50 mm
Weight	0,063 kg



Bulk packaging

Quantity	100
Width	280 mm
Height	155 mm
Length	280 mm
Volume	0,024 m3
Weight	7 kg



Europallet

Quantity	4800
Height	1860 mm
Quantity in layer	
Number of layers	
Bulk quantity	48
Weight	370 kg

LED line PRIME

Code: 248603-II

EAN: 5905378201538

**LED bulb GU10 6500K 10W 1400lm 230V
120° Ceramic PRIME**

Example application

