

LED line LITE

Code: 240669

EAN: 5901583240669

LEDOM Downlight alu. square silver brushed adjustable



The LEDOM silver mounted ceiling housing, created by the LITE LED line brand, combines elegance with functionality. Made of aluminum, the structure is durable and robust. The moving head enables precise light steering, which increases comfort of use. The maximum power of the bulb is 35 W. The product is characterized by IP20 protection class and isolation class III, which guarantees safety of indoor use.




Technical data

Parameter	Value
Warranty	2
IP protection rating	IP20
IEC protection class	III
Maximum suitable lamp power	35 W
Lamp's diameter	50 mm
Type of surface suitable for installation	F

Parameter	Value
Distance from illuminated surface	0.5 m
Installation method	recessed
Mounting hole diameter	75-80
Height	18
Colour	Silver
Material (housing)	Aluminium

LEDOM Downlight alu. square silver
brushed adjustable




Technical drawing



Light distribution

Additional product photos

Logistics data



Single packaging

Quantity	1
Width	100 mm
Height	105 mm
Length	40 mm
Weight	0,05 kg

Bulk packaging

Quantity	100
Width	440 mm
Height	220 mm
Length	520 mm
Volume	0,050 m3
Weight	8 kg
Comments	

Europallet

Quantity	1400
Height	1760 mm
Quantity in layer	200
Number of layers	8
Bulk quantity	1600
Weight	128 kg

LED line LITE

Code: 240669

EAN: 5901583240669

**LEDOM Downlight alu. square silver
brushed adjustable**

Example application