

Code: 205758

CE

EAN: 5905378205758

LED line PRIME kontroler VARIANTE RF BLE TUYA 2PIN CCT

The VARIANTE RF BLE TUYA 2PIN CCT controller is a modern LED tape management device 205727 LED 600 COB 24V in the range of colour temperature from warm white (2700K) to cold white (6500K), providing full control over the lighting. It offers dimming and timer setting features to automate tape work. Communication takes place wirelessly using Bluetooth and RF technology, reaching a range of up to 20 meters. Power is 1.





Technical data

| Parameter | Value |
|----------------------|---------|
| Warranty | 5 |
| Power | • 400 W |
| IP protection rating | IP20 |
| PWM frequency | 7,8 |
| RF frequency | 2.4 GHz |
| RF distance | ≤20 |
| Output current | 17 |
| | |

| Parameter | Value |
|--|----------|
| Remote included | No |
| Output types | DIM, CCT |
| Ambient temperature suitable for operation | -20÷60 |
| Length | 107,5 |
| Width | 40 |
| Height | 25,3 |
| Weight | 75 |

MORE EFFICIENCY FOR THE LED WORLD



EAN: 5905378205758

Code: 205758

LED line PRIME kontroler VARIANTE RF BLE TUYA 2PIN CCT


Technical drawing

Light distribution

Additional product photos




Logistics data




Single packaging

| Quantity | 1 |
|----------|----------|
| Width | 107,5 mm |
| Height | 25,3 mm |
| Length | 40 mm |
| Weight | 0,09 kg |
| Comments | |



Bulk packaging

| Quantity | 100 |
|----------|----------|
| Width | 270 mm |
| Height | 230 mm |
| Length | 300 mm |
| Volume | 0,018 m3 |
| Weight | 9,35 kg |
| Comments | |



Europallet

| Height | 1840 mm |
|-------------------|----------|
| Quantity in layer | 800 |
| Number of layers | 8 |
| Bulk quantity | 6400 |
| Weight | 623,4 kg |

MORE EFFICIENCY FOR THE LED WORLD



Code: 205758

EAN: 5905378205758

LED line PRIME kontroler VARIANTE RF BLE TUYA 2PIN CCT

Example application