

LED line LITE Code: 203785 EAN: 5905378203785

LED line LITE Road luminaire FLAMINGO 30W 4000K 3000lm grey





FLAMINGO 30W road luminaire from LED line LITE is a modern lighting solution, offering a light stream of 3000 lumens at 4000K light temperature. Thanks to IP65 leak class, it provides high resistance to adverse weather conditions. The grey color of the housing fits perfectly into a variety of arrangements.

















Technical data

Parameter	Value
Energy efficiency class 2019/2015	Е
Warranty	3
Power	• 30 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IEC protection class	1
Luminous flux	3000
The lumen maintenance factor	96
Lifetime L70B50	25 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
ULOR	0 %
Wire length	300 mm

Parameter	Value
Mounting type	mixed
Frequency of the supply voltage	50/60Hz
Beam angle	140 x 70
LED type	SMD LED
LED quantity	48
Power Factor	0,9
Lamp's warm-up time to 60%	1s
Ambient temperature suitable for operation	-25÷50
Length	424
Width	89
Height	108
Weight	550
Colour	Grey
Material (cover)	polycarbonate




LED line LITE Code: 203785 EAN: 5905378203785

LED line LITE Road luminaire FLAMINGO 30W 4000K 3000lm grey


Technical drawing

Light distribution

Luminous [cd/klm]




Additional product photos








Logistics data






Quantity	1
Width	424 mm
Height	108 mm
Length	89 mm
Weight	0,7 kg



Bulk packaging

Quantity	20
Width	450 mm
Height	430 mm
Length	470 mm
Volume	0,090 m3
Weight	14,35 kg



Europallet

Height	1800 mm
Quantity in layer	40
Number of layers	4
Bulk quantity	160
Weight	114,8 kg

MORE EFFICIENCY FOR THE LED WORLD



LED line LITE Code: 203785 EAN: 5905378203785

LED line LITE Road luminaire FLAMINGO 30W 4000K 3000lm grey

Example application