

LED line PRIME

Code: 471079

EAN: 5907777471079

LED line downlight aluminium round white/silver

PRIME round LED line ceiling housing in elegant, white-silver finish is a combination of modern design and functionality. Made of aluminium casting ensures not only durability, but also aesthetic appearance, which perfectly fits into the characteristics of each interior. Designed for installation with LED bulbs with a maximum power of 35 W, it offers energy efficiency of up to 80%. Thanks to the simple design, the assembly is fast and seamless.



Technical data

Parameter	Value
Warranty	5
IP protection rating	IP20
IEC protection class	III
Maximum suitable lamp power	35 W
Lamp's diameter	50 mm
Type of surface suitable for installation	F

Parameter	Value
Distance from illuminated surface	0.5 m
Installation method	recessed
Mounting hole diameter	75
Height	40
Colour	White-Silver
Material (housing)	Die cast aluminium

LED line PRIME

Code: 471079

EAN: 5907777471079

LED line downlight aluminium round
white/silver


Technical drawing

Light distribution

Additional product photos




Logistics data




Single packaging

Height	52 mm
Weight	0,085 kg



Bulk packaging

Quantity	100
Weight	8,5 kg
Comments	



Europallet

LED line PRIME

Code: 471079

EAN: 5907777471079

**LED line downlight aluminium round
white/silver**

Example application