

Merrytek

Code: MSA-016D-RC

EAN: 5907777476050

MERRYTEK sensor s/a on/off DT
230V(DC) width angle slim ob.



The MSA-016D-RC model is a motion sensor enclosed in a specially flattened housing (slim), facilitating installation in shallow fixtures. It features a very wide detection angle, effectively covering a large usable space. The detector controls lighting in on/off mode and can be powered by 230V AC or appropriate direct current. Thanks to the support of an external remote control, it can be easily managed even after the equipment has been installed at a great height. Such a design perfectly meets the needs of designers of modern, flat linear and panel lighting.

Technical data

Parameter	Value
Warranty	5
Voltage	220-240 V AC
IP protection rating	IP20
Working current	Maks. 45mA przy 30V

Parameter	Value
Rated power	12-24V DC operate
Hold time	5s/30s/1min/3min/5min/10min
Frequency of the supply voltage	50/60Hz
Ambient temperature suitable for operation	-25 ÷ 50

Merrytek

Code: MSA-016D-RC

EAN: 5907777476050


MERRYTEK sensor s/a on/off DT
230V(DC) width angle slim ob.

Technical drawing

Light distribution


Additional product photos

Logistics data




Single packaging

Quantity	1
----------	---



Bulk packaging

Quantity	1
----------	---



Europallet

Merrytek Code: MSA-016D-RC EAN: 5907777476050

MERRYTEK sensor s/a on/off DT
230V(DC) width angle slim ob.

Example application