

LED line LITE

Code: 205628-II

EAN: 5905378227569

**Downlight MOLLY 3CCT(3K/4K/6K) 18W  
1600lm round IP20 black LITE**



The black LED panel Molly 3CCT combines ultra-slim minimalist design with an elegant dark finish, perfect for modern loft arrangements. The fixture offers a color temperature change function (3000K/4000K/6000K) in one device, allowing for instant adjustment of lighting to the user's needs. Thanks to its universal design, the product is suitable for both recessed and surface mounting, ensuring style and flexibility in every investment.

IP  
20

**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 18 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 3000-4000-6000 K
Colour of the light	CCT
Colour rendering index Ra	80
IP protection rating	IP20
IK protection rating	05
IEC protection class	II
Luminous efficacy	90

Parameter	Value
Luminous flux	1600
Lifetime L70B50	25 000 h
Frequency of the supply voltage	50/60Hz
Beam angle	120°
Power Factor	0,7
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	26 mm
Fixture's diameter	170 mm
Weight	0,172 kg
Material (housing)	Polycarbonate


LED line LITE

Code: 205628-II

EAN: 5905378227569

**Downlight MOLLY 3CCT(3K/4K/6K) 18W  
1600lm round IP20 black LITE**

**Technical drawing**



**Light distribution**

**Additional product photos**



**Logistics data**




**Single packaging**

Width	175 mm
Height	40 mm
Length	175 mm
Weight	0,218 kg



**Bulk packaging**

Quantity	40
Width	43 cm
Height	37 cm
Length	37 cm
Weight	9,22 kg



**Europallet**

Quantity	800
Height	1,9 m
Bulk quantity	20
Weight	220 kg

---

LED line LITE

Code: 205628-II

EAN: 5905378227569

**Downlight MOLLY 3CCT(3K/4K/6K) 18W  
1600lm round IP20 black LITE**

---

**Example application**