

LED line PRIME


Code: 479594-AW3HAT

EAN: 5905378212220

LINKER TRI-PROOF 40W 4000K 6000lm
150lm/W IP65 120cm Emergency
module 3H AT PRIME



LINKER 40W from LED line PRIME is an advanced lighting solution that combines high energy efficiency with elegant design. It emits a light stream of 6000 lm with excellent performance of 150 lm/W. IP65 leak class and IK08 resistance provide reliability even in difficult conditions. Life of up to 100000 hours and Ra colour rendering rate ≥ 80 guarantee comfort of use and natural color reproduction.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Energy class	A+
Warranty	5
Power	• 40 W
Voltage	• 200-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IK protection rating	08
IEC protection class	II
Luminous efficacy	150
Luminous flux	6000
The lumen maintenance factor	96
Lifetime L70B50	100 000 h
Survival factor	0.9
Dimmable function	PWM
Colour consistency in McAdam ellipses	≤ 6

Parameter	Value
ULOR	3 %
Emergency module test	Autotest
Operating time in emergency mode	3 h
Frequency of the supply voltage	50/60Hz
Beam angle	120
LED type	SMD2835
Lifespan	100 000 h
Power Factor	0,9
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1 s
Ambient temperature suitable for operation	$-25 \div 45$
Length	1180
Width	72
Height	61
Colour	Grey
Material (housing)	Polycarbonate
Material (cover)	polycarbonate

LED line PRIME

Code: 479594-AW3HAT

EAN: 5905378212220

LINKER TRI-PROOF 40W 4000K 6000lm
150lm/W IP65 120cm Emergency
module 3H AT PRIME


Technical drawing

Light distribution

Additional product photos




Logistics data




Single packaging

Width	70 mm
Height	1220 mm
Length	60 mm
Weight	1,5 kg



Bulk packaging

Quantity	15
Width	240 mm
Height	1220 mm
Length	340 mm
Volume	0,099 m3
Weight	22,85 kg



Europallet

Quantity	150
Height	1220 mm
Quantity in layer	150
Number of layers	1
Bulk quantity	150
Weight	228,5 kg

LED line PRIME

Code: 479594-AW3HAT

EAN: 5905378212220

**LINKER TRI-PROOF 40W 4000K 6000lm
150lm/W IP65 120cm Emergency
module 3H AT PRIME**

Example application