

LED line LITE


Code: 241970

EAN: 5901583241970

LED bulb GU10 4000K 5W 450lm 230V  
120° Glass LITE



LED line bulb LITE GU10 5W white (4000 K) and light stream 450 lm is a modern light source that provides high energy efficiency of 90 lm/W. With a light angle of 120°, it perfectly dissipates indoor light, and the durability of up to 30,000 hours of use guarantees long-lasting performance. Ra ≥80 colour mapping factor allows for the natural rendering of the colours of the environment.



Technical data

| Parameter                             | Value          |
|---------------------------------------|----------------|
| Energy efficiency class 2019/2015     | F              |
| Warranty                              | 3              |
| Power                                 | • 5 W          |
| Voltage                               | • 220-260 V AC |
| Correlated colour temperature         | • 4000 K       |
| Colour of the light                   | White          |
| Colour rendering index Ra             | 80             |
| Luminous efficacy                     | 90             |
| Luminous flux                         | 450 lm         |
| The lumen maintenance factor          | 96             |
| Lifetime L70B50                       | 30 000 h       |
| Survival factor                       | 0.9            |
| Colour consistency in McAdam ellipses | ≤6             |

| Parameter                                  | Value   |
|--------------------------------------------|---------|
| Frequency of the supply voltage            | 50/60Hz |
| Beam angle                                 | 120 °   |
| LED type                                   | SMD2835 |
| Power Factor                               | 0,4     |
| Number of on/off cycles                    | 50000   |
| Lamp's warm-up time to 60%                 | 1       |
| Ambient temperature suitable for operation | -20÷40  |
| For indoor use                             | Inside  |
| Height                                     | 55      |
| Fixture's diameter                         | 50 mm   |
| Material (housing)                         | Glass   |
| Material (cover)                           | glass   |

LED line LITE


Code: 241970

EAN: 5901583241970


LED bulb GU10 4000K 5W 450lm 230V

120° Glass LITE


Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

|          |         |
|----------|---------|
| Quantity | 10      |
| Width    | 50 mm   |
| Height   | 50 mm   |
| Length   | 60 mm   |
| Weight   | 0,07 kg |



Bulk packaging

|          |          |
|----------|----------|
| Quantity | 100      |
| Width    | 290 mm   |
| Height   | 170 mm   |
| Length   | 595 mm   |
| Volume   | 0,029 m3 |
| Weight   | 6,5 kg   |
| Comments |          |



Europallet

|                   |         |
|-------------------|---------|
| Quantity          | 4500    |
| Height            | 1870 mm |
| Quantity in layer | 400     |
| Number of layers  | 11      |
| Bulk quantity     | 4400    |
| Weight            | 286 kg  |

LED line LITE

Code: 241970

EAN: 5901583241970

**LED bulb GU10 4000K 5W 450lm 230V  
120° Glass LITE**

**Example application**

