

LED line LITE Code: 203501 EAN: 5905378203501

LED line LITE Floodlight PHOTON 10W 4000K 1000lm with motion sensor





LED line LITE PHOTON 10W 4000K 1000lm with motion sensor is an advanced lighting that ensures high energy efficiency and durability. With a power of 10 W it reaches a light stream of 1000 lm, which guarantees clear and even lighting. Equipped with a motion sensor and the ability to adjust the time and intensity of light, the light bulb allows optimal use of energy.

















Technical data

| Parameter | Value |
|--|---------------------------|
| Energy efficiency class 2019/2015 | F |
| Warranty | 3 |
| Power | • 10 W |
| Voltage | • 220-240 V AC |
| Correlated colour temperature | • 4000 K |
| Colour of the light | White |
| Colour rendering index Ra | 80 |
| IK protection rating | 05 |
| IEC protection class | I |
| Luminous efficacy | 100 |
| Luminous flux | 1000 |
| The lumen maintenance factor | 96 |
| Lifetime L70B50 | 30 000 h |
| Survival factor | 0.9 |
| Colour consistency in McAdam ellipses | ≤6 |
| Wyniki tłumaczenia Functional description of the daylight sensor [LUX] | Min 5 lx - Max 2000 lx |
| Rated power | 220-240V AC |
| Mounting type | surface |


| Parameter | Value |
|--|--------------------|
| Mounting height | 2.3-5.0m |
| Frequency of the supply voltage | 50/60Hz |
| Beam angle | 120 |
| Sensor type | PIR |
| LED type | SMD2835 |
| LED quantity | 15 |
| Power Factor | 0,7 |
| Number of on/off cycles | 18000 |
| Lamp's warm-up time to 60% | 1 |
| Ambient temperature suitable for operation | -20÷40 |
| Length | 105 |
| Width | 62 |
| Height | 137 |
| Weight | 215 |
| Colour | Black |
| Material (housing) | Die cast aluminium |
| Material (cover) | Tempered glass |
| | |




LED line LITE Code: 203501 EAN: 5905378203501

LED line LITE Floodlight PHOTON 10W 4000K 1000lm with motion sensor

Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

| Quantity | 1 |
|----------|---------|
| Width | 105 mm |
| Height | 137 mm |
| Length | 62 mm |
| Weight | 0,27 kg |



Bulk packaging

| Quantity | 24 |
|----------|----------|
| Width | 312 mm |
| Height | 263 mm |
| Length | 440 mm |
| Volume | 0,036 m3 |
| Weight | 6,83 kg |



Europallet

| Quantity | 720 |
|-------------------|--------|
| Height | 1,70 m |
| Quantity in layer | 144 |
| Number of layers | 5 |
| Bulk quantity | 30 |
| Weight | 230 kg |

MORE EFFICIENCY FOR THE LED WORLD



LED line LITE Code: 203501 EAN: 5905378203501

LED line LITE Floodlight PHOTON 10W 4000K 1000lm with motion sensor

Example application