

LED line LITE


Code: 247408

EAN: 5901583247408

LED bulb E27 3000K 12W 1212lm 230V
240° A60 PC LITE



The LED bulb E27 12W 3000K 1212lm by LED line LITE is an innovative light source with exceptional efficiency. It emits warm white light with a color temperature of 3000 K, providing a cozy atmosphere. With a luminous flux of 1212 lm and a beam angle of 240°, it guarantees excellent light distribution in rooms. It features a lifespan of up to 50,000 hours and high energy efficiency at a level of 101 lm/W.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 12 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	101
Luminous flux	1212 lm
The lumen maintenance factor	96
Lifetime L70B50	50 000 h
L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	35000 h
Survival factor	0.9

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Beam angle	240 °
Lifespan	50 000 h
Power Factor	0,5
Number of on/off cycles	50000
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	115 mm
Diameter	60 mm
Weight	0,029 kg
Material (housing)	Polycarbonate


LED line LITE

Code: 247408


EAN: 5901583247408

LED bulb E27 3000K 12W 1212lm 230V
240° A60 PC LITE

Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	45 mm
Height	85 mm
Length	45 mm
Weight	0,042 kg

Bulk packaging

Quantity	100
Width	320 mm
Height	270 mm
Length	625 mm
Volume	0,054 m3
Weight	4,5 kg
Comments	

Europallet

Quantity	1800
Height	1890 mm
Quantity in layer	
Number of layers	
Bulk quantity	18
Weight	130 kg

LED line LITE

Code: 247408

EAN: 5901583247408

**LED bulb E27 3000K 12W 1212lm 230V
240° A60 PC LITE**

Example application