


LED line PRIME

Code: 240140

EAN: 5901583240140

LED strip 150/5m SMD 12V RGB 7,2W
IP20 10mm 5m PRIME

The 150 SMD 12V RGB 7.2W LED line PRIME is an innovative solution characterized by high quality performance. Equipped with SMD5050 diodes, it provides intense light in a full range of RGB colours, as well as high temperature resistance thanks to 2 mm thick laminate. Thanks to its extraordinary durability up to 100,000 hours, the tape is the perfect choice for demanding users.



Technical data

Parameter	Value
Warranty	5
Power	• 7.2 W / m
Voltage	• 12 V DC
Colour of the light	RGB (multicolor)
IP protection rating	IP20
IEC protection class	III
Cutting section	10 cm
The lumen maintenance factor	>0,7
Lifetime L70B50	30 000 h
Dimmable function	PWM
Current (1m)	0,6
Beam angle	120
LED type	SMD5050
Compatible dimmer type	PWM

Parameter	Value
Laminate (colour)	White
Laminate (thickness)	2
LED quantity (1m)	30
Type of adhesive tape	3M 300 LSE
Lifespan	100 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷45
For indoor use	Inside
Length	5000 mm
Width	10 mm
Height	2,5
Weight	0,096 kg


LED line PRIME

Code: 240140


EAN: 5901583240140

LED strip 150/5m SMD 12V RGB 7,2W
IP20 10mm 5m PRIME

Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	5 m
Width	153 mm
Height	15 mm
Length	153 mm
Weight	0,125 kg
Comments	

Bulk packaging

Quantity	40
Width	320 mm
Height	180 mm
Length	360 mm
Volume	0,020 m3
Weight	5,4 kg
Comments	

Europallet

Quantity	12000 m
Height	1800 mm
Quantity in layer	240
Number of layers	10
Bulk quantity	2400
Weight	349 kg

LED line PRIME

Code: 240140

EAN: 5901583240140

**LED strip 150/5m SMD 12V RGB 7,2W
IP20 10mm 5m PRIME**

Example application