

Mean Well

Code: HDR-15-5

EAN:

Mean Well power supply DIN rail 3A  
15W 5V

The HDR-15-5 power supply from Mean Well is a reliable device mounted on the DIN rail, offering an input voltage of 85-264VAC or 120-370VDC. Its power is 15W and the maximum output current is 3A at 5V. It works in a wide range of temperatures from -30 to +70°C, with power consumption below 0.3W in a load-free state. In addition, it is equipped with short circuit protection, overloading and overvoltage protection and LED signaling.



Technical data

| Parameter                                  | Value        |
|--------------------------------------------|--------------|
| Power                                      | • 15 W       |
| Output current                             | 2,4          |
| Ambient temperature suitable for operation | -30 do +70°C |
| Length                                     | 17,5         |

| Parameter      | Value |
|----------------|-------|
| Width          | 90    |
| Height         | 54,5  |
| Output voltage | • 5 V |

Mean Well

Code: HDR-15-5

EAN:


Mean Well power supply DIN rail 3A  
15W 5V

Technical drawing


Light distribution

Additional product photos


Logistics data



Single packaging



Bulk packaging



Europallet

Quantity

Mean Well

Code: HDR-15-5

EAN:

Mean Well power supply DIN rail 3A  
15W 5V

Example application