

LED line LITE

Code: 245947

EAN: 5901583245947

LED bulb G9 2700K 6W 550lm 230V  
270° Ceramic LITE



LITE G9 6W 2700K LED line bulb with 6W and 550 lm light stream is an innovative lighting solution. It emits a pleasant warm light with a colour temperature of 2700 K, allowing to create a comfortable atmosphere. Its luminous efficiency is 92 lm/W and the glowing angle is as high as 270°, providing a uniform scattering of light.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Energy class	A+
Warranty	3
Power	• 6 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	92
Luminous flux	550 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Fixture's diameter	16 mm
Beam angle	270 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	66
Colour	white
Material (housing)	Ceramics

LED line LITE

Code: 245947


EAN: 5901583245947

LED bulb G9 2700K 6W 550lm 230V  
270° Ceramic LITE

Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	1
Width	50 mm
Height	60 mm
Length	50 mm
Weight	0,02 kg



Bulk packaging

Quantity	500
Width	610 mm
Height	235 mm
Length	150 mm
Volume	0,021 m3
Weight	10,06 kg
Comments	



Europallet

Quantity	25000
Height	1880 mm
Quantity in layer	4000
Number of layers	8
Bulk quantity	32000
Weight	643,84 kg

---

LED line LITE

Code: 245947

EAN: 5901583245947

**LED bulb G9 2700K 6W 550lm 230V  
270° Ceramic LITE**

---

**Example application**