

LED line PRIME

Code: 247620-II

EAN: 5905378201491

LED bulb GU10 4000K 7W 1000lm 230V
120° Ceramic PRIME



LED bulb GU10 7W 4000K from LED line PRIME is an innovative light source with a power of 7W and a light stream of 1000 lumens. It offers a neutral colour of light at 4000 K, perfectly reflective of colors thanks to $Ra \geq 80$ color reproduction factor. A light angle of 120° ensures uniform scattering of the light. Durability reaches 30,000 hours, and the incorporation cycle is up to 50,000 hours.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 7 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	142
Luminous flux	1000 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	GU10
Beam angle	120 °
LED type	SMD2835
Power Factor	≥0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Height	55 mm
Weight	0,06 kg
Colour	White
Material	Ceramic
Material (housing)	Ceramics

LED line PRIME


Code: 247620-II

EAN: 5905378201491


LED bulb GU10 4000K 7W 1000lm 230V

120° Ceramic PRIME


Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	1
Width	35 mm
Height	66 mm
Length	35 mm
Weight	0,07 kg



Bulk packaging

Quantity	100
Width	575 mm
Height	155 mm
Length	1000 mm
Volume	0,089 m3
Weight	7 kg



Europallet

Quantity	5600
Height	1,8 m
Quantity in layer	700
Number of layers	8
Bulk quantity	56
Weight	392 kg

LED line PRIME

Code: 247620-II

EAN: 5905378201491

**LED bulb GU10 4000K 7W 1000lm 230V
120° Ceramic PRIME**

Example application

