

LED line LITE

Code: 223936

EAN: 5905378223936

Solar floodlight FLOWLITE 3CCT (3/4/6.5K) 10W 1100lm PIR remote control IP65 black LITE



The new solar fixtures LED line combine high luminous efficiency with an ecological "Right to Repair" approach thanks to the interchangeable battery system. They ensure zero operating costs and reliability confirmed by a solid, weather-resistant construction. The version with a remote control allows for convenient adjustment of parameters and changing the light color, adapting the lighting to your preferences. It is an investment that pays off every day, offering safety and comfort without complicated electrical installation.



Technical data

Parameter	Value
Warranty	3
Power	10 W
Voltage	3.7 V DC
Correlated colour temperature	3000 K 4000 K 6500 K
Colour rendering index Ra	80
IP protection rating	IP65
IK protection rating	06
IEC protection class	III
Luminous efficacy	110
Luminous flux	1100 lm
Lifetime L70B50	15 000 h

Parameter	Value
Type of battery	Lithium-ion 3.7V 2600 mAh
Beam angle	120°
Ambient temperature suitable for operation	-10÷45
For indoor use	Outside
Length	193 mm
Width	141 mm
Height	41 mm
Weight	0,38 kg
Battery life	6 h
Material (housing)	Aluminium


LED line LITE

Code: 223936

EAN: 5905378223936

Solar floodlight FLOWLITE 3CCT
(3/4/6.5K) 10W 1100lm PIR remote
control IP65 black LITE

Technical drawing






Light distribution

Additional product photos



Logistics data



Single packaging

Width	150 mm
Height	52 mm
Length	125 mm
Weight	0,45 kg

Bulk packaging

Quantity	20
Width	550 mm
Height	315 mm
Length	140 mm
Weight	9.5 kg

Europallet

Quantity	1040
Height	1,9 m
Quantity in layer	4
Number of layers	13
Bulk quantity	52
Weight	530 kg

LED line LITE

Code: 223936

EAN: 5905378223936

**Solar floodlight FLOWLITE 3CCT
(3/4/6.5K) 10W 1100lm PIR remote
control IP65 black LITE**

Example application

