

LED line PRIME

Code: 210752

EAN: 5905378210752

**Power supply for 3 phase rail
LUMICANTO right black PRIME**

Current connection to LUMICANTO tube right black PRIME from LED line is a robust and functional solution with dimensions of 98 mm x 32 mm x 32 mm. Its design ensures easy installation in rail systems, perfectly entering modern interior arrangements. Thanks to the power supply and a maximum load of 16A, the product meets high energy efficiency standards.



Technical data

Parameter	Value
Warranty	5/7*
IEC protection class	I
Rated power	220-240V AC
Rated current	16A
Mounting type	3 phase rail
Frequency of the supply voltage	50/60Hz
Ambient temperature suitable for operation	5÷40

Parameter	Value
Length	98
Width	32
Height	32
Power supply connection	tak
Equivalent	XTS 11
Colour	Black
Material (housing)	Plastic

LED line PRIME

Code: 210752

EAN: 5905378210752

**Power supply for 3 phase rail
LUMICANTO right black PRIME**



Technical drawing

Light distribution

Additional product photos



Logistics data



Single packaging

Width	30 mm
Height	100 mm
Length	30 mm
Weight	0,06 kg

Bulk packaging

Quantity	100
Width	300 mm
Height	300 mm
Length	300 mm
Volume	0,027 m ³
Weight	5,6 kg

Europallet

Height	1800 mm
Quantity in layer	800
Number of layers	6
Bulk quantity	4800
Weight	268,8 kg

LED line PRIME

Code: 210752

EAN: 5905378210752

**Power supply for 3 phase rail
LUMICANTO right black PRIME**

Example application