

LED line LITE

Code: 201361

EAN: 5905378201361

LED line LITE Ceiling lamp PLAFON 12W
3000K 900lm IP44 with motion sensor



12W LED Line LITE and 3000K colour temperature is an innovative lighting setting with a light stream of 900 lm. IP44 leak class provides resistance to moisture, making it ideal for both internal and external applications. Equipped with a motion sensor with a range of up to 8 meters and a 360° detection angle, the device automatically switches on and off the light, increasing safety and saving energy.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 12 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP44
IEC protection class	I
Luminous efficacy	75
Luminous flux	900
The lumen maintenance factor	96
Lifetime L70B50	30 000 h

Parameter	Value
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Hold time	30 s
Frequency of the supply voltage	50/60Hz
Fixture's diameter	260 mm
Beam angle	120
LED type	SMD 2835
LED quantity	14
Ambient temperature suitable for operation	-20÷40
Height	52
Weight	220
Colour	White


LED line LITE

Code: 201361


EAN: 5905378201361

LED line LITE Ceiling lamp PLAFON 12W
3000K 900lm IP44 with motion sensor

Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	300 mm
Height	300 mm
Length	70 mm
Weight	0,26 kg

Bulk packaging

Quantity	16
Width	620 mm
Height	320 mm
Length	620 mm
Volume	0,123 m3
Weight	4,51 kg
Comments	

Europallet

Height	1920 mm
Quantity in layer	16
Number of layers	6
Bulk quantity	96
Weight	27,06 kg

LED line LITE

Code: 201361

EAN: 5905378201361

**LED line LITE Ceiling lamp PLAFON 12W
3000K 900lm IP44 with motion sensor**

Example application

