

LED line LITE

Code: 477736

EAN: 5907777477736

LED line® Multipower 60-12 5A 60W 12V IP20

LED line power supply Multipower 60W 12V is an innovative solution for powering LED lighting systems. It has 60W output power and 5A current, providing a stable voltage of 12V. Its compact design (187 mm x 55 mm x 18 mm) allows easy installation in difficult accessible places. It offers advanced channel control capabilities, eliminating the need for additional wiring thanks to plug&Play DuPont connectors.



Technical data

Parameter	Value
Power	• 60 W
Voltage	• 220-240 V AC
IP protection rating	IP20
IEC protection class	II
Output current range	5A
Input voltage frequency range	50/60Hz
Rated current	0,289 A
Safety standards	EN62368; EN55032
Efficiency	85%

Parameter	Value
Voltage tolerance	5%+/-
Ambient humidity	10-90%
Insulation strength	12.6V
EMC standards	EN55015 Standard. EN61547 Standard
Mounting type	surface
Inrush current (typ.)	79A @230V
Power Factor	0,9
Ambient temperature suitable for operation	25

LED line LITE

Code: 477736

EAN: 5907777477736


LED line® Multipower 60-12 5A 60W 12V  
IP20

Technical drawing




Light distribution

Additional product photos




Logistics data




Single packaging

Quantity	1
Width	60 mm
Height	25 mm
Length	195 mm
Weight	0,216 kg



Bulk packaging

Quantity	60
Width	187 mm
Height	255 mm
Length	430 mm
Weight	17 kg



Europallet

Quantity	4320
Height	1720 mm
Quantity in layer	6
Number of layers	12
Bulk quantity	72
Weight	1224 kg

---

LED line LITE

Code: 477736

EAN: 5907777477736

**LED line® Multipower 60-12 5A 60W 12V  
IP20**

---

**Example application**