

LED line LITE

Code: 203914-III

EAN: 5905378218628

**Hermetic luminaire VANTO 2xT8 LED
IP65 150cm gray ABS/PS/Reflector LITE**

New

Modern hermetic fixture for T8 LED fluorescent lamps with a reflector, made of durable materials and designed for operation in harsh conditions. Compatible with single-ended powered T8 LED fluorescent lamps, connected directly to the 230V network. With an IP65 degree of protection, it is dust and water-resistant, ideal for workshops, garages, halls, and other industrial facilities. Equipped with G13 sockets, it allows for flexible selection of light sources.



Technical data

Parameter	Value
Warranty	3
Voltage	• 220-240 V AC
IP protection rating	IP65
IK protection rating	06
IEC protection class	II
Socket type	G13
Maximum suitable lamp power	2x30 W
Mounting type	surface
Frequency of the supply voltage	50/60Hz

Parameter	Value
Ambient temperature suitable for operation	-10÷40
Installation method	surface
Length	1593 mm
Width	90 mm
Height	56 mm
Lamp's diameter	26 mm
Weight	1,1 kg
Material (housing)	ABS
Material (cover)	Polystyrene


LED line LITE

Code: 203914-III

EAN: 5905378218628

**Hermetic luminaire VANTO 2xT8 LED
IP65 150cm gray ABS/PS/Reflector LITE**

Technical drawing



Light distribution

Additional product photos



Logistics data



Single packaging

Width	92 mm
Height	50 mm
Length	1635 mm
Weight	1,3 kg

Bulk packaging

Quantity	12
Width	225 mm
Height	295 mm
Length	1655 mm
Volume	
Weight	15,7 kg

Europallet

Quantity	144
Height	1700 mm
Quantity in layer	
Number of layers	1
Bulk quantity	12
Weight	220 kg

LED line LITE

Code: 203914-III

EAN: 5905378218628

**Hermetic luminaire VANTO 2xT8 LED
IP65 150cm gray ABS/PS/Reflector LITE**

Example application