

LED line PRIME

Code: 201200

EAN: 5905378201200

RF wall remote for VARIANTE DIM/CCT
PRIME controller



The RF wall remote LED line PRIME for the VARIANTE DIM/CCT controller combines modern aesthetics with advanced functionality. Its wireless communication operates at a frequency of 2.4 GHz, providing a range of up to 20 m. It allows for intuitive control of LED lighting. The product is characterized by solid construction and a long warranty period of 5 years.

5
WARRANTY

MAX
-20÷60°C

CE

Technical data

Parameter	Value	Parameter	Value
Warranty	5	RF distance	≤20
Voltage	• 90-265 V AC	Ambient temperature suitable for operation	-20÷60
IP protection rating	IP20	Length	34
Working power	<2	Width	86
RF frequency	2.4 GHz	Height	86


LED line PRIME

Code: 201200

EAN: 5905378201200

RF wall remote for VARIANTE DIM/CCT
PRIME controller

Technical drawing






Light distribution

Additional product photos



Logistics data



Single packaging

Quantity	1
Width	34 mm
Height	86 mm
Length	86 mm
Weight	0,14 kg

Bulk packaging

Quantity	50
Width	230 mm
Height	190 mm
Length	480 mm
Volume	0,020 m3
Weight	7,35 kg
Comments	

Europallet

Height	1840 mm
Quantity in layer	400
Number of layers	8
Bulk quantity	3200
Weight	470,4 kg

LED line PRIME

Code: 201200

EAN: 5905378201200

RF wall remote for VARIANTE DIM/CCT
PRIME controller

Example application