

LED line PRIME

Code: 245381

EAN: 5901583245381

LED line downlight waterproof square
die cast aluminium chrome

The PRIME LED line ceiling housing is characterized by modern, square shape and waterproof design, ideal for indoor and outdoor applications. Made of cast aluminium, coated with powder-colored chrome painting, it ensures durability and aesthetics. The matt glass cartridge evenly dissipates light and the maximum power of 35 W guarantees effective lighting.



Technical data

Parameter	Value
Warranty	5
IEC protection class	III
Maximum suitable lamp power	35 W
Lamp's diameter	50 mm
Type of surface suitable for installation	F
Distance from illuminated surface	0.5 m
Installation method	recessed

Parameter	Value
Mounting hole diameter	73
Length	84
Width	84
Height	50
Colour	chrome
Material (housing)	Die cast aluminium
Material (cover)	Frosted glass

LED line PRIME

Code: 245381

EAN: 5901583245381


LED line downlight waterproof square
die cast aluminium chrome

Technical drawing

Light distribution


Additional product photos

Logistics data




Single packaging

Height	0 mm
Weight	0,19 kg



Bulk packaging

Quantity	100
Weight	9,5 kg
Comments	



Europallet

Quantity	1000
Height	1800 mm
Quantity in layer	4
Number of layers	5
Bulk quantity	20
Weight	350 kg

LED line PRIME

Code: 245381

EAN: 5901583245381

**LED line downlight waterproof square
die cast aluminium chrome**

Example application