

LED line LITE

Code: 249600

EAN: 5901583249600

**LED bulb GU10 4000K 9W 850lm 230V
120 ° ES111 PC BLACK LITE**



The 9W ES111 lamp emits a white light with a colour temperature of 4000K, providing a light stream of 850 lumens. It works in the 175-265 V AC voltage range, which guarantees reliability in different power conditions. Energy efficiency class F and Ra colour reproduction factor at level 80 affect the quality of the light emitted. The lighting angle of 120° makes the product perfectly illuminates the space.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Energy class	A+
Warranty	2
Power	• 9 W
Voltage	• 175-265 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	95
Luminous flux	850 lm
The lumen maintenance factor	96
Lifetime L70B50	50 000 h

Parameter	Value
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Fixture's diameter	111 mm
Beam angle	120 °
Lifespan	50 000 h
Power Factor	0,5
Number of on/off cycles	50000
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	58
Material (housing)	Polycarbonate

LED line LITE

Code: 249600

EAN: 5901583249600

LED bulb GU10 4000K 9W 850lm 230V
120 ° ES111 PC BLACK LITE


Technical drawing

Light distribution

Additional product photos




Logistics data




Single packaging

Quantity	1
Width	115 mm
Height	80 mm
Length	115 mm
Weight	0,11 kg



Bulk packaging

Quantity	50
Width	330 mm
Height	240 mm
Length	595 mm
Volume	0,047 m3
Weight	5,85 kg
Comments	



Europallet

Quantity	1200
Height	1650 mm
Quantity in layer	300
Number of layers	5
Bulk quantity	1500
Weight	175,5 kg

LED line LITE

Code: 249600

EAN: 5901583249600

**LED bulb GU10 4000K 9W 850lm 230V
120 ° ES111 PC BLACK LITE**

Example application