

LED line Code: 477293 EAN: 5907777477293

LED strip 600/5m SMD 24V 4000K 9,6W IP20 8mm 30m 960lm/m PRIME



LED line 600 SMD 24V 4000K 9.6W 30 m long is an advanced light source that stands out for high light performance of as much as 960 lm per metre. Thanks to SMD technology 2835 and a durability factor of 0.9, the product ensures long-term use. The energy efficiency class F highlights its energy savings.





Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	5
Power	• 9.6 W/m
Voltage	• 24 V DC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
IEC protection class	III
Cutting section	5 cm
Luminous efficacy	100
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Dimmable function	PWM
Colour consistency in McAdam ellipses	≤ 3

Parameter	Value
Luminous flux (1m)	960
Current (1m)	0,4
Beam angle	120
LED type	SMD 2835
LED quantity	600
Compatible dimmer type	PWM
Laminate (colour)	White
Laminate (thickness)	2
LED quantity (lm)	120
Type of adhesive tape	3M 300 LSE
Ambient temperature suitable for operation	-25÷45
For indoor use	Inside
Length	30000
Width	8
Height	2,5




LED line Code: 477293 EAN: 5907777477293

LED strip 600/5m SMD 24V 4000K 9,6W IP20 8mm 30m 960lm/m PRIME


Technical drawing

Light distribution




Additional product photos

Logistics data




Single packaging

Quantity	30 m
Weight	0,593 kg



Bulk packaging

Quantity	1
Width	350 mm
Height	290 mm
Length	450 mm
Weight	11,86 kg
Comments	



Europallet

Quantity	600
Height	1800 mm
Quantity in layer	5
Number of layers	6
Bulk quantity	30
Weight	303 kg

MORE EFFICIENCY FOR THE LED WORLD



LED line Code: 477293 EAN: 5907777477293

LED strip 600/5m SMD 24V 4000K 9,6W IP20 8mm 30m 960lm/m PRIME

Example application