

LED line PRIME

Code: 210769

EAN: 5905378210769

**Power supply for 3 phase rail
LUMICANTO left white PRIME**

Current connection to LUMICANTO rail with white LED line PRIME is a perfect solution for modern lighting installations. The product has a working voltage of 220-240V AC and a rated current of 16A. Made of high quality plastic, it ensures durability and reliability. Thanks to the type of 3-wire rail mounting, the assembly is quick and simple.



Technical data

Parameter	Value
Warranty	5/7*
IEC protection class	I
Rated power	220-240V AC
Mounting type	3 phase rail
Frequency of the supply voltage	50/60Hz
Ambient temperature suitable for operation	5÷40
Length	98

Parameter	Value
Width	32
Height	32
Power supply connection	tak
Equivalent	XTS 12
Colour	5÷40°C
Material (housing)	Plastic

LED line PRIME

Code: 210769

EAN: 5905378210769

**Power supply for 3 phase rail
LUMICANTO left white PRIME**




Technical drawing

Light distribution

Additional product photos



Logistics data



Single packaging

Width	30 mm
Height	100 mm
Length	30 mm
Weight	0,06 kg

Bulk packaging

Quantity	100
Width	300 mm
Height	300 mm
Length	300 mm
Volume	0,027 m ³
Weight	5,6 kg

Europallet

Height	1800 mm
Quantity in layer	800
Number of layers	6
Bulk quantity	4800
Weight	268,8 kg

LED line PRIME

Code: 210769

EAN: 5905378210769

**Power supply for 3 phase rail
LUMICANTO left white PRIME**

Example application