


LED line PRIME Code: 245428 EAN: 5901583245428

LED line downlight waterproof round die cast aluminium white













Technical data

Parameter	Value	
Warranty	5	
IEC protection class	III	
Maximum suitable lamp power	35 W	
Fixture's diameter	83	
Lamp's diameter	50 mm	
Type of surface suitable for installation	F	
Distance from illuminated surface	0.5 m	

Parameter	Value
Installation method	recessed
Mounting hole diameter	73
Height	55
Colour	white
Material (housing)	Die cast aluminium
Material (cover)	Frosted glass



LED line PRIME Code: 245428 EAN: 5901583245428

LED line downlight waterproof round die cast aluminium white

Technical drawing




Light distribution


Additional product photos






Logistics data







Single packaging

Width	91 mm
Height	61 mm
Length	91 mm
Weight	0,16 kg

Bulk packaging

Quantity	50
Width	0 mm
Height	0 mm
Length	500 mm
Volume	0 m3
Weight	8,15 kg
Comments	

Europallet

Quantity	1750
Height	1800 mm
Quantity in layer	7
Number of layers	5
Bulk quantity	35
Weight	283,5 kg

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME Code: 245428 EAN: 5901583245428

LED line downlight waterproof round die cast aluminium white

Example application