


LED line LITE

Code: 241659

EAN: 5901583241659

LED strip 150/5m SMD 24V RGB 7,2W
IP20 10mm 5m PRIME

LED line 150 SMD 24V RGB 7.2W is an innovative light source from LED line LITE. Equipped with 150 SMD5050 diodes, it offers a power of 7.2 W per metre and rich color possibilities thanks to RGB technology. It is characterized by high durability, reaching up to 100,000 hours of work and lack of flickering effect. The product is non-silent and compatible with PWM dimmers. It offers a lighting angle of 120°.



Technical data

Parameter	Value
Warranty	5
Power	• 7.2 W / m
Voltage	• 24 V DC
Colour of the light	RGB (multicolor)
IP protection rating	IP20
IEC protection class	III
Cutting section	16,7 cm
The lumen maintenance factor	>0,7
Lifetime L70B50	30 000 h
Dimmable function	PWM
Current (1m)	0,3
Beam angle	120
LED type	SMD5050

Parameter	Value
Compatible dimmer type	PWM
Laminate (colour)	White
Laminate (thickness)	2
LED quantity (1m)	30
Type of adhesive tape	3M 300 LSE
Lifespan	100 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷45
For indoor use	Inside
Length	5000 mm
Width	10 mm
Height	2,5

LED line LITE

Code: 241659


EAN: 5901583241659

LED strip 150/5m SMD 24V RGB 7,2W

IP20 10mm 5m PRIME

Technical drawing


Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	5 m
Weight	0,1385 kg
Comments	



Bulk packaging

Quantity	100
Width	340 mm
Height	280 mm
Length	440 mm
Volume	0,042 m3
Weight	5,04 kg
Comments	



Europallet

Quantity	2400
Height	1800 mm
Quantity in layer	6
Number of layers	10
Bulk quantity	60
Weight	300 kg

LED line LITE

Code: 241659

EAN: 5901583241659

**LED strip 150/5m SMD 24V RGB 7,2W
IP20 10mm 5m PRIME**

Example application