

LED line PRIME Code: 479952 EAN: 5907777479952

LED strip 640/5m SMD 24V 4000K 8,5W IP20 10mm 5m 1360lm/m PRIME



LED tape 128 SMD by LED line PRIME is an innovative light source with a power of 8,5 W per metre, working at 24 V DC voltage. It is characterized by excellent light performance of up to 160 lm/W and neutral light color (4000 K). The used SMD diodes provide long-term and effective operation with a lifetime of L70B50 of up to 50,000 hours. Thanks to the dimming function, you will adjust the light intensity to your needs, creating a pleasant atmosphere in each interior.















Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 8.5 W / m
Voltage	• 24 V DC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
IEC protection class	III
Cutting section	6,25 cm
Luminous efficacy	160
The lumen maintenance factor	96
Lifetime L70B50	50 000 h
Survival factor	0.9
Dimmable function	PWM
Colour consistency in McAdam ellipses	≤ 3
Wire length	200 mm

Parameter	Value
Luminous flux (1m)	1360
Current (1m)	0,35
Beam angle	120
LED type	SMD
LED quantity	640
Compatible dimmer type	PWM
Laminate (colour)	White
Laminate (thickness)	3
LED quantity (1m)	128
Type of adhesive tape	3M 300 LSE
Ambient temperature suitable for operation	-25÷45
For indoor use	Inside
Length	5000
Width	10
Height	2,5
Weight	0,112 kg




LED line PRIME Code: 479952 EAN: 5907777479952

LED strip 640/5m SMD 24V 4000K 8,5W IP20 10mm 5m 1360lm/m PRIME

Technical drawing

Light distribution



Additional product photos

Logistics data

Single packaging

Quantity


Width


Height

Length

Weight

Comments






153 mm

15 mm


153 mm

0,128 kg









Europallet

Quantity	12000 m
Height	1800 mm
Quantity in layer	240 szt.
Number of layers	10
Bulk quantity	2400 szt.
Weight	349,0

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME Code: 479952 EAN: 5907777479952

LED strip 640/5m SMD 24V 4000K 8,5W IP20 10mm 5m 1360lm/m PRIME

Example application