

LED line PRIME



Code: 210646

EAN: 5905378210646

**Connector L for 3 phase track
LUMICANTO left white with feeding
PRIME**

Connector L for LUMICANTO busbar left, branded LED line PRIME product, made of high-quality plastic. It has a white finish that perfectly integrates into various interior arrangements. The power supply is 220-240V AC with a rated current of 16A, which provides sufficient power for many applications.

Its solid construction guarantees long-lasting operation and ease of installation on three-phase rails. The product is covered by a five-year warranty.



Technical data

Parameter	Value
Warranty	5/7*
IEC protection class	I
Rated power	220-240V AC
Rated current	16A
Mounting type	3 phase rail
Frequency of the supply voltage	50/60Hz
Ambient temperature suitable for operation	5÷40

Parameter	Value
Length	98
Width	98
Height	32
Power supply connection	tak
Equivalent	XTS 35
Colour	White
Material (housing)	Plastic

LED line PRIME

Code: 210646

EAN: 5905378210646

**Connector L for 3 phase track
LUMICANTO left white with feeding
PRIME**


Technical drawing

Light distribution

Additional product photos



Logistics data



Single packaging

Width	100 mm
Height	30 mm
Length	100 mm
Weight	0,09 kg

Bulk packaging

Quantity	100
Width	250 mm
Height	220 mm
Length	400 mm
Volume	0,022 m3
Weight	9,6 kg

Europallet

Height	1760 mm
Quantity in layer	900
Number of layers	8
Bulk quantity	7200
Weight	691,2 kg

LED line PRIME

Code: 210646

EAN: 5905378210646

**Connector L for 3 phase track
LUMICANTO left white with feeding
PRIME**

Example application