


LED line

Code: 242816

EAN: 5901583242816

**CEILING FITTING round IP20 gold PRIME**

The LED line ceiling setting in gold is an elegant element that will add chicness to each interior. Made of high quality aluminium casting, it has durability and aesthetic finish. The housing diameter is 77 mm, making it a universal solution for various arrangements. Thanks to the ability to adjust the lighting angle, the user gains versatility in creating the atmosphere in the room.



**Technical data**

Parameter	Value
Warranty	5
IP protection rating	IP20
IEC protection class	III
Maximum suitable lamp power	35 W
Type of surface suitable for installation	F
Distance from illuminated surface	0.5 m
Installation method	recessed

Parameter	Value
Mounting hole diameter	65
Height	30
Lamp's diameter	50 mm
Fixture's diameter	77
Colour	gold
Material (housing)	Die cast aluminium

LED line

Code: 242816

EAN: 5901583242816




**CEILING FITTING round IP20 gold PRIME**

Technical drawing

Light distribution

Additional product photos

**Logistics data**



**Single packaging**

Quantity	1
Width	90 mm
Height	40 mm
Length	90 mm
Weight	0,0611 kg

**Bulk packaging**

Quantity	100
Width	480 mm
Height	380 mm
Length	220 mm
Volume	0,040128 m3
Weight	8 kg
Comments	

**Europallet**

Quantity	2800
Height	1664 mm
Quantity in layer	7
Number of layers	4
Bulk quantity	28
Weight	171,08 kg

---

LED line

Code: 242816

EAN: 5901583242816

**CEILING FITTING round IP20 gold PRIME**

---

**Example application**