MORE EFFICIENCY FOR THE LED WORLD

LE line

EAN: 5905378209572

LED line LITE

LED line® G9 4W 3000K 350lm 220-240V





Code: 209572

LED lamp G9 power 4 In generates a light stream of 350 Im, which provides efficient and energy-efficient lighting. It is characterized by a light colour temperature of 3000 K, offering warm, pleasant to the eye light. The product operates in 220-240 V voltage range and meets quality standards, as confirmed by the energy class A+. Ceramic material of housing and phase displacement factor Df equals 0.4 increase the durability and stability of the lamp.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Energy class	A+
Warranty	3
Power	• 4 W
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	88
Luminous flux	350
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9

CE

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Fixture's diameter	16 mm
Beam angle	270
LED type	SMD2835
Power Factor	0,4
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1s
For indoor use	Inside
Height	49
Colour	white
Material (housing)	Ceramics

∱ F

Generated 17-07-2025 time 19:07 from the PIM B2B system - LED Line

MORE EFFICIENCY FOR THE LED WORLD



LED line LITE


Code: 209572

EAN: 5905378209572

LED line® G9 4W 3000K 350lm 220-240V

Technical drawing


Light distribution



Additional product photos




Logistics data




Single packaging

Width	50 mm
Height	50 mm
Length	60 mm
Weight	0,01 kg



Bulk packaging

Quantity	500
Width	610 mm
Height	235 mm
Length	150 mm
Volume	0,021 m3
Weight	7,455 kg



Europallet

Height	1880 mm
Quantity in layer	4000
Number of layers	8
Bulk quantity	32000
Weight	477,12 kg

MORE EFFICIENCY FOR THE LED WORLD



LED line LITE

Code: 209572

EAN: 5905378209572

LED line® G9 4W 3000K 350lm 220-240V

Example application