

LED line PRIME

Code: 210509

EAN: 5905378210509

Track light LUMICANTO 12-42W CCT 36/60° black PRIME



Track light LUMICAANTO 12-42W CCT 36/60° in black is a modern LED line PRIME lighting setting with elegant design and versatility. It has a possibility to adjust the lighting angle at 36° and 60°, which allows precise targeting of the light stream. Thanks to its high energy efficiency and its 90 Ra colour reproduction factor, it perfectly reflects the colours of the environment.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	5
Power	• 12-42 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 3000 K • 4000K • 6000 K
Colour of the light	White
Colour rendering index Ra	90
IP protection rating	IP20
IK protection rating	06
IEC protection class	II
Luminous efficacy	do 120
Luminous flux	1300-4300
The lumen maintenance factor	0,9
Lifetime L70B50	50 000 h
Survival factor	0,9
Colour consistency in McAdam ellipses	≤6
Mounting type	3 phase rail

Parameter	Value
Frequency of the supply voltage	50/60Hz
Fixture's diameter	100 mm
Beam angle	60/36
LED type	COB-Bridgelux
LED quantity	1
Lifespan	50 000 h
Power Factor	>0,9
Number of on/off cycles	25000
Lamp's warm-up time to 60%	1 s
Ambient temperature suitable for operation	5÷40
For indoor use	Inside
Width	152
Height	165
Colour	Black
Material (housing)	Aluminium
Material (cover)	clear glass

LED line PRIME

Code: 210509


EAN: 5905378210509

Track light LUMICANTO 12-42W CCT
36/60° black PRIME




Technical drawing

Light distribution

Additional product photos



Logistics data



Single packaging

Width	108 mm
Height	175 mm
Length	186 mm
Weight	0,67 kg

Bulk packaging

Quantity	20
Width	385 mm
Height	365 mm
Length	565 mm
Volume	0,079 m3
Weight	16,8 kg

Europallet

Height	1825 mm
Quantity in layer	80
Number of layers	5
Bulk quantity	400
Weight	370 kg

LED line PRIME

Code: 210509

EAN: 5905378210509

**Track light LUMICANTO 12-42W CCT
36/60° black PRIME**

Example application