


LED line LITE Code: 202047 EAN: 5905378202047

LED tube T8 G13 4000K 22W 2265lm 230V 270° 150cm Glass LITE



















Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	2
Power	• 22 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	100
Luminous flux	2265 lm
The lumen maintenance factor	96
Lifetime L70B50	15 000 h
Survival factor	0.9

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Lamp's type	T8
Beam angle	270 °
LED type	SMD2835
LED quantity	96
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Length	1500
Material	Glass
Material (housing)	Glass
Material (cover)	glass




LED line LITE Code: 202047 EAN: 5905378202047

LED tube T8 G13 4000K 22W 2265lm 230V 270° 150cm Glass LITE


Technical drawing




Light distribution




Additional product photos






Logistics data






Quantity	1
Width	46 mm
Height	76 mm
Length	46 mm
Weight	0,24 kg



Bulk packaging

Quantity	25
Width	1590 mm
Height	175 mm
Length	170 mm
Volume	0,021 m3
Weight	6,73 kg



Europallet

Height	1590 mm
Quantity in layer	600
Number of layers	1
Bulk quantity	600
Weight	101 kg

MORE EFFICIENCY FOR THE LED WORLD



LED line LITE Code: 202047 EAN: 5905378202047

LED tube T8 G13 4000K 22W 2265lm 230V 270° 150cm Glass LITE

Example application