

LED line


Code: 478221

EAN: 5907777478221

LED line® strip COB 320 chips/m 24V
4000K 12W



LED COB 320 chips/m from LED line is a high quality light source with 24V characteristics and 4000K color temperature. It is characterized by a luminous efficiency of 92 lm/W and a light stream of 1100 lm per metre. With chip-on-board technology, it provides optimal color reproduction with a CRI of 90. The product has a lifespan of up to 50,000 hours, and IP20 leak class and cooperation with MWM dimmers enhance its functionality.



Technical data

Parameter	Value	Parameter	Value
Energy efficiency class 2019/2015	G	Wire length	200 mm
Warranty	3	Luminous flux (lm)	1100
Power	• 12 W / m	Current (Im)	0,5
Voltage	• 24 V DC	Beam angle	180
Correlated colour temperature	• 4000 K	LED type	COB
Colour of the light	White	LED quantity	1600
Colour rendering index Ra	90	Compatible dimmer type	PWM
IP protection rating	IP20	Laminate (colour)	White
IEC protection class	III	Laminate (thickness)	2
Cutting section	5 cm	LED quantity (lm)	320
Luminous efficacy	92	Type of adhesive tape	3M 300 LSE
The lumen maintenance factor	96	Ambient temperature suitable for operation	-30÷45
Lifetime L70B50	50 000 h	For indoor use	Inside
Survival factor	0.9	Length	5000
Dimmable function	PWM	Width	10
Colour consistency in McAdam ellipses	≤3	Height	1,7


LED line

Code: 478221


EAN: 5907777478221

LED line® strip COB 320 chips/m 24V
4000K 12W

Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	5 m
Width	153 mm
Height	182 mm
Length	15 mm
Weight	0,13 kg
Comments	



Bulk packaging

Quantity	100
Width	340 mm
Height	280 mm
Length	440 mm
Volume	0,08 m3
Weight	5,5 kg
Comments	



Europallet

Quantity	2400
Height	1800 mm
Quantity in layer	6
Number of layers	10
Bulk quantity	60
Weight	300 kg

LED line

Code: 478221

EAN: 5907777478221

**LED line® strip COB 320 chips/m 24V
4000K 12W**

Example application