

LED line PRIME

Code: 217584

EAN: 5905378217584

Suntis Solar Garden Light 3000K 170lm
2Ah USB-C Round IP54 Black PRIME

New

The Suntis LED line PRIME solar garden luminaire is a modern lighting solution that combines aesthetics with functionality. It has a white colour of light with a temperature of 3000 K and a light stream of 170 lumens. Equipped with a LI-Ion 3.7V 2000mAh battery, it provides up to 6 hours of full-charge operation. IP54 leak class protects against moisture and dust, making the product suitable for external applications.



Technical data

Parameter	Value	Parameter	Value
Warranty	5	Beam angle	180
Voltage	• 3.7 V DC	LED quantity	40
Correlated colour temperature	• 3000 K	Lifespan	35 000 h
Colour of the light	White	Lamp's warm-up time to 60%	1
Colour rendering index Ra	80	Ambient temperature suitable for operation	-20÷40
IP protection rating	IP54	For indoor use	Outside
IK protection rating	06	Length	151 mm
IEC protection class	III	Width	151 mm
Luminous flux	170	Height	473 mm
Lifetime L70B50	30 000 h	Weight	0,43 kg
Wyniki tłumaczenia Functional description of the daylight sensor [LUX]	50 lx-ON	Battery life	6 h
Photo cell power	0.9	Colour	Czarny
Photo cell current	0.17	Material (housing)	ABS
Type of battery	LI-Ion 3.7V 2000mAh 18650		


LED line PRIME

Code: 217584

EAN: 5905378217584

Suntis Solar Garden Light 3000K 170lm
2Ah USB-C Round IP54 Black PRIME

Technical drawing






Light distribution

Additional product photos



Logistics data



Single packaging

Quantity	1
Width	220 mm
Height	220 mm
Length	473 mm
Weight	0,7 kg

Bulk packaging

Quantity	12
Width	300 mm
Height	460 mm
Length	675 mm
Weight	8,7 kg

Europallet

Height	1,90 m
Quantity in layer	2
Number of layers	3
Bulk quantity	72
Weight	80 kg

LED line PRIME

Code: 217584

EAN: 5905378217584

**Suntis Solar Garden Light 3000K 170lm
2Ah USB-C Round IP54 Black PRIME**

Example application

