

LED line PRIME

Code: LL-12-12-MINI

EAN: 5905378227415

Compact power supply 12-12 IP67 12W
12V PRIME

New

The LED line power supplies from the MINI series are an innovative solution with dimensions of just 56x39x26 mm, perfectly fitting into standard electrical boxes with a diameter of 60 mm. Replacing older models, they offer the same reliable power of 12W in a much more compact form, making installation in hard-to-reach places easier. High quality workmanship and a 5-year warranty make them a reliable choice for any professional lighting installation.



Technical data

Parameter	Value
Warranty	5
Voltage	• 220-240 V AC
IP protection rating	IP67
IK protection rating	04
IEC protection class	II
Output current	1
Rated current	0,4
Frequency of the supply voltage	50/60Hz

Parameter	Value
Power Factor	0,7
Ambient temperature suitable for operation	-20÷45
Length	56 mm
Width	39 mm
Height	26 mm
Weight	0,1 kg
Output voltage	• 12 V

LED line PRIME


Code: LL-12-12-MINI

EAN: 5905378227415

Compact power supply 12-12 IP67 12W

12V PRIME

Technical drawing



Light distribution

Additional product photos



Logistics data




Single packaging

Width	68 mm
Height	48 mm
Length	75 mm
Weight	0,118 kg



Bulk packaging

Quantity	100
Width	30 cm
Height	26 cm
Length	40,5 cm
Weight	12 kg



Europallet

Quantity	4800
Height	1,7 m
Bulk quantity	48
Weight	610 kg

LED line PRIME

Code: LL-12-12-MINI

EAN: 5905378227415

Compact power supply 12-12 IP67 12W
12V PRIME

Example application