

LED line LITE Code: 245480 EAN: 5901583245480

LED bulb G9 2700K 4W 350lm 230V 270° Ceramic LITE





4W LITE G9 LED line bulb emits warm white light at 2700 K, perfectly composing in a variety of interior arrangements. With a light stream of 350 lumens and an angle of 270° distribution, it provides even lighting. Made of ceramics, it is characterized by high durability and resistance to high temperatures. Its lifespan reaches up to 30,000 hours, and the light efficiency is as much as 88 lm/W.









Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Energy class	A+
Warranty	3
Power	• 4 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	88
Luminous flux	350 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Fixture's diameter	16 mm
Beam angle	270 °
LED type	SMD2835
Power Factor	0,4
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	49
Colour	white
Material (housing)	Ceramics




LED line LITE Code: 245480 EAN: 5901583245480

LED bulb G9 2700K 4W 350lm 230V 270° Ceramic LITE

Technical drawing



Light distribution




Additional product photos






Logistics data






Quantity	1
Width	50 mm
Height	63 mm
Length	50 mm
Weight	0,01 kg



Bulk packaging

Quantity	500
Width	610 mm
Height	235 mm
Length	150 mm
Volume	0,021 m3
Weight	7,455 kg
Comments	



Europallet

Quantity	40000
Height	1,6 m
Quantity in layer	3000
Number of layers	13
Bulk quantity	80
Weight	1120 kg

MORE EFFICIENCY FOR THE LED WORLD



LED line LITE Code: 245480 EAN: 5901583245480

LED bulb G9 2700K 4W 350lm 230V 270° Ceramic LITE

Example application