


LED line PRIME

Code: 242854

EAN: 5901583242854

LED line downlight round die cast aluminium white

The PRIME LED ceiling housing is an innovative solution made of aluminium casting, which ensures high durability and reliability. The matte finish in elegant white color perfectly fits into a variety of interior arrangements, giving them a modern character. With a diameter of 77 mm and a dedicated lamp holder for a 50 mm light source, the product provides a convenient installation allowed into a hole with a diameter of 65 mm.



Technical data

| Parameter | Value |
|---|-------|
| Warranty | 5 |
| IP protection rating | IP20 |
| IEC protection class | III |
| Maximum suitable lamp power | 35 W |
| Fixture's diameter | 77 |
| Lamp's diameter | 50 mm |
| Type of surface suitable for installation | F |

| Parameter | Value |
|-----------------------------------|--------------------|
| Distance from illuminated surface | 0.5 m |
| Installation method | recessed |
| Mounting hole diameter | 65 |
| Height | 30 |
| Colour | white |
| Material (housing) | Die cast aluminium |


LED line PRIME

Code: 242854

EAN: 5901583242854

LED line downlight round die cast
aluminium white


Technical drawing



Light distribution


Additional product photos

Logistics data




Single packaging

| | |
|----------|---------|
| Quantity | 1 |
| Width | 100 mm |
| Height | 105 mm |
| Length | 40 mm |
| Weight | 0,03 kg |



Bulk packaging

| | |
|----------|----------|
| Quantity | 100 |
| Width | 380 mm |
| Height | 220 mm |
| Length | 470 mm |
| Volume | 0,039 m3 |
| Weight | 8 kg |
| Comments | |



Europallet

| | |
|-------------------|----------|
| Quantity | 2800 |
| Height | 1760 mm |
| Quantity in layer | 400 |
| Number of layers | 8 |
| Bulk quantity | 3200 |
| Weight | 153,6 kg |

LED line PRIME

Code: 242854

EAN: 5901583242854

**LED line downlight round die cast
aluminium white**

Example application