

LED line PRIME


Code: 217034

EAN: 5905378217034

ESTADIO 200W 5000K P50 170lm/w  
CRI80 PRIME

New

The stadium ESTADIO 200W LED line PRIME is a modern lighting solution that delivers excellent performance with a light stream of 34000 lumens and 170 lm/W efficiency. It is characterized by a white colour of light 5000 K, which guarantees high quality color reproduction with CRI equal to 80. Thanks to IP66 leak class and IK10 resistance, this model provides reliability in difficult weather conditions.



Technical data

Parameter	Value
Warranty	5
Power	• 200 W
Voltage	• 100-227 V AC
Correlated colour temperature	• 5000 K
Colour of the light	White
IP protection rating	IP66
IK protection rating	10
IEC protection class	I
Luminous efficacy	170
Luminous flux	34000
The lumen maintenance factor	96
Lifetime L70B50	100 000 h
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz

Parameter	Value
CRI colour rendering index	80
LED type	EMC5050
LED quantity	100
Power Factor	0,95
Lamp's warm-up time to 60%	0,5 s
Ambient temperature suitable for operation	-40 / +45
For indoor use	Outside
Length	388
Width	305
Height	150
Weight	4500
Material (housing)	Aluminium
Material (cover)	polycarbonate

LED line PRIME


Code: 217034

EAN: 5905378217034

ESTADIO 200W 5000K P50 170lm/w  
CRI80 PRIME

Technical drawing


Light distribution



Additional product photos




Logistics data




Single packaging

Weight	5 kg
--------	------



Bulk packaging

Quantity	5
Weight	



Europallet

---

LED line PRIME

Code: 217034

EAN: 5905378217034

**ESTADIO 200W 5000K P50 170lm/w  
CRI80 PRIME**

---

**Example application**