

LED line LITE Code: 202283 EAN: 5905378202283

LED Bulb E27 2700K 10W 1200lm 230V 360° FILAMENT A60 Glass LITE





LED bulb E27 10W 2700K 1200Im FILAMENT A60 from LED line LITE is an innovative light source that impresses with its elegant design and high energy efficiency. It emits warm light at a colour temperature of 2700 K, ideal for creating a cozy atmosphere. With a power of 1200 lumens, it provides even lighting in the full lighting angle of 360°. Its durability reaches as much as 25,000 hours, and the retention rate of the light stream is as much as 96%.











Technical data

Parameter	Value
Energy efficiency class 2019/2015	Е
Warranty	3
Power	• 10 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	120
Luminous flux	1200 lm
The lumen maintenance factor	96
Lifetime L70B50	25 000 h
Survival factor	0.9
Dimmable function	-
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz

Parameter	Value
Lamp's type	A60
Fixture's diameter	60 mm
Beam angle	360 °
LED type	Filament
LED quantity	4
Lifespan	25 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	108
Weight	35
Material	Glass
Material (housing)	Glass
Material (cover)	glass



LED line LITE Code: 202283 EAN: 5905378202283

LED Bulb E27 2700K 10W 1200lm 230V 360° FILAMENT A60 Glass LITE

Technical drawing

Light distribution




Additional product photos







Logistics data

Single packaging









Quantity	1
Width	45 mm
Height	71 mm
Length	45 mm
Weight	0,03 kg

Quantity	50
Width	325 mm
Height	240 mm
Length	325 mm
Volume	0,025 m3
Weight	2.78 ka

Europallet

Height	1920 mm
Quantity in layer	300
Number of layers	8
Bulk quantity	2400
Weight	133,44 kg



LED line LITE Code: 202283 EAN: 5905378202283

LED Bulb E27 2700K 10W 1200lm 230V 360° FILAMENT A60 Glass LITE

Example application

