

LED line PRIME

Code: 203457-AW3HAT

EAN: 5905378219861

**Backlit Panel 4000K 42W 6300lm IP20
60x60cm white UGR<19 PRIME
emergency module AW 3h AT**



The 42W backlit LED panel and 4000K colour temperature provide exceptional light performance, reaching a light stream of 6300 lm. With low UGR value<19, this model minimizes glare. Made of high quality aluminum and polystyrene, it guarantees longevity and aesthetic appearance. The integrated emergency module allows to operate for 3 hours in case of power interruption.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	C
Warranty	5
Power	• 42 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
IK protection rating	02
IEC protection class	II
Luminous efficacy	150
Luminous flux	6300
The lumen maintenance factor	96
Lifetime L70B50	50 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Emergency module test	Auto Test
Operating time in emergency mode	3 h

Parameter	Value
Frequency of the supply voltage	50/60Hz
Beam angle	90
LED type	SMD LED 2835
LED quantity	108
Power Factor	>=0,95
Number of on/off cycles	25000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-25÷45
For indoor use	Inside
Length	595 mm
Width	595 mm
Height	28 mm
Weight	1,76 kg
Colour	White
Material (housing)	Aluminium
Material (cover)	Polystyrene
Emergency module	• YES

LED line PRIME

Code: 203457-AW3HAT


EAN: 5905378219861

**Backlit Panel 4000K 42W 6300lm IP20
60x60cm white UGR<19 PRIME
emergency module AW 3h AT**

Technical drawing

Light distribution

Additional product photos



Logistics data



Single packaging

Quantity	1
Width	645 mm
Height	30 mm
Length	605 mm
Weight	1,68 kg

Bulk packaging

Quantity	5
Width	630 mm
Height	670 mm
Length	180 mm
Volume	0,075 m ³
Weight	10,4 kg
Comments	

Europallet

Quantity	60
Height	1,9 m
Quantity in layer	
Number of layers	
Bulk quantity	12
Weight	150 kg

LED line PRIME

Code: 203457-AW3HAT

EAN: 5905378219861

**Backlit Panel 4000K 42W 6300lm IP20
60x60cm white UGR<19 PRIME
emergency module AW 3h AT**

Example application