

LED line LITE

Code: 248900

EAN: 5901583248900

LED bulb G9 2700K 12W 1160lm 230V  
270° Ceramic LITE



LED bulb G9 12W 2700K from LED line LITE is an advanced light source that is characterized by high efficiency and longevity. It emits a warm light with a colour temperature of 2700K and a light stream of 1160 lumens. Thanks to energy efficiency of 90 lm/W and a durability factor of 0.9, the product provides a stable performance for up to 30,000 hours.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Energy class	A+
Warranty	3
Power	• 12 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	90
Luminous flux	1160 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Fixture's diameter	19 mm
Beam angle	270 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	75
Colour	white
Material (housing)	Ceramics


LED line LITE

Code: 248900


EAN: 5901583248900

LED bulb G9 2700K 12W 1160lm 230V  
270° Ceramic LITE

Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	1
Width	20 mm
Height	20 mm
Length	66 mm
Weight	0,02 kg



Bulk packaging

Quantity	500
Width	580 mm
Height	255 mm
Length	175 mm
Volume	0,025 m3
Weight	13,03 kg
Comments	



Europallet

Quantity	40000
Height	1,6 m
Quantity in layer	3000
Number of layers	13
Bulk quantity	80
Weight	1120 kg

---

LED line LITE

Code: 248900

EAN: 5901583248900

**LED bulb G9 2700K 12W 1160lm 230V  
270° Ceramic LITE**

---

**Example application**