

LED line LITE

Code: 248283

EAN: 5901583248283

LED line SMD 7W 2700K 550lm 220-260V 50mm SD



LED line bulb LITE SMD 7W 2700K with light stream 550 lm is a modern and energy-efficient light source. With the power of 7 W, it achieves a capacity of 79 lm/W, emitting a warm white light at a colour temperature of 2700 K. The product has a lifespan of up to 30,000 hours and a lighting angle of 110°, which ensures a uniform scattering of light.



Technical data

Parameter	Value	Parameter	Value
Energy efficiency class 2019/2015	G	Frequency of the supply voltage	50/60Hz
Energy class	A+	Fixture's diameter	50 mm
Warranty	3	Beam angle	110
Power	• 7 W	LED type	SMD2835
Voltage	• 220-260 V AC	Compatible dimmer type	3-step
Correlated colour temperature	• 2700 K	Power Factor	0,5
Colour of the light	White	Number of on/off cycles	50000
Colour rendering index Ra	80	Lamp's warm-up time to 60%	1 s
Luminous efficacy	79	Ambient temperature suitable for operation	-20÷40
Luminous flux	550	For indoor use	Inside
The lumen maintenance factor	96	Height	36
Lifetime L70B50	30 000 h	Colour	white
Survival factor	0.9	Material (housing)	Ceramics
Dimmable function	Triac	Material (cover)	glass
Colour consistency in McAdam ellipses	≤6		

LED line LITE

Code: 248283


EAN: 5901583248283

LED line SMD 7W 2700K 550lm 220-260V 50mm SD


Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	1
Width	22 mm
Height	22 mm
Length	70,5 mm
Weight	0,08 kg



Bulk packaging

Quantity	100
Width	610 mm
Height	235 mm
Length	150 mm
Volume	0,021 m3
Weight	6 kg
Comments	



Europallet

Quantity	4500
Height	1950 mm
Quantity in layer	800
Number of layers	8
Bulk quantity	6400
Weight	512 kg

LED line LITE

Code: 248283

EAN: 5901583248283

**LED line SMD 7W 2700K 550lm 220-
260V 50mm SD**

Example application