MORE EFFICIENCY FOR THE LED WORLD

LE D line

LED line PRIME

LED line PRIME LED strip 480 COB 24V 3000K 18W 30m

Code: 210998

EAN: 5905378210998



LED LED line PRIME 480 COB 24V 3000K is an innovative lighting solution that offers energy efficiency at F level. At 18 watts per metre and a 900 lm light stream, it provides excellent lighting in a warm colour tone of 3000 K. The casing made of high quality materials guarantees durability and resistance to external factors. Thanks to its high flexibility, the tape will work in various interior arrangements.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	5
Power	• 18 W/m
Voltage	• 24 V DC
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	90
IP protection rating	IP20
IEC protection class	III
Cutting section	5 cm
Luminous efficacy	100
The lumen maintenance factor	96
Lifetime L70B50	50 000 h
Survival factor	0.9
Dimmable function	PWM
Colour consistency in McAdam ellipses	≤3

Parameter	Value
Wire length	200 mm
Luminous flux (1m)	1800
Current (Im)	0,75
Beam angle	180
LED type	СОВ
LED quantity	2400
Compatible dimmer type	PWM
Laminate (colour)	White
Laminate (thickness)	2
LED quantity (Im)	480
Type of adhesive tape	3M 300 LSE
Ambient temperature suitable for operation	`-30 ÷ 45
For indoor use	Inside
Length	30000
Width	10
Height	2

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME

Code: 210998

EAN: 5905378210998


LED line PRIME LED strip 480 COB 24V 3000K 18W 30m

Technical drawing

Light distribution

Additional product photos

Logistics data




Single packaging

Quantity	30 m
Weight	0,713 kg

\langle	\bigcirc	\geq
		5

Bulk packaging

Quantity	20
Width	350 mm
Height	290 mm
Length	450 mm
Weight	14,26 kg



Europallet

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME

Code: 210998

EAN: 5905378210998

LED line PRIME LED strip 480 COB 24V 3000K 18W 30m

Example application