

LED line LITE


Code: 241925

EAN: 5901583241925

LED bulb GU10 6500K 3W 273lm 230V
120° Glass LITE



LED line bulb GU10 3W 6500K is an innovative light source with a luminous flux of 273 lumens and high performance 91 lm/W. It emits cool, white light at 6500 K colour temperature, ideal for demanding spaces. The wide 120° light angle provides even distribution without shading effect. The product has a shelf life of up to 30,000 hours, as well as the possibility of as many as 50,000 cycles of switching on and off.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 3 W
Voltage	• 220-260 V AC
Correlated colour temperature	• 6500 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	91
Luminous flux	273 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Beam angle	120 °
LED type	SMD2835
Power Factor	0,4
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	55
Fixture's diameter	50 mm
Material (housing)	Glass
Material (cover)	glass

LED line LITE

Code: 241925


EAN: 5901583241925

LED bulb GU10 6500K 3W 273lm 230V

120° Glass LITE




Technical drawing

Light distribution



Additional product photos

Logistics data



Single packaging

Quantity	10
Width	50 mm
Height	50 mm
Length	60 mm
Weight	0,07 kg

Bulk packaging

Quantity	100
Width	290 mm
Height	170 mm
Length	595 mm
Volume	0,029 m3
Weight	5 kg
Comments	

Europallet

Quantity	4500
Height	1870 mm
Quantity in layer	400
Number of layers	11
Bulk quantity	4400
Weight	286 kg

LED line LITE

Code: 241925

EAN: 5901583241925

**LED bulb GU10 6500K 3W 273lm 230V
120° Glass LITE**

Example application