

LED line PRIME Code: 206618 EAN: 5905378206618

Lighting split pole 4m black PRIME



The foldable 4m black PRIME is an innovative design designed for versatile applications. Made of galvanized steel Q235, it guarantees not only high corrosion resistance, but also exceptional durability. Modular design allows height adjustment in the range of 2 to 5 meters, which provides flexibility for installation. The end diameter of \emptyset 60 mm allows for easy matching of popular lighting fittings.





Technical data

Parameter	Value
Base dimensions	255x255x10
Diameter of the column ending	ø 60
Revision	Yes
Height	4000

Parameter	Value
Maximum luminaire weight [kg]	2m - 16kg; 3m - 14kg; 4m- 12kg; 5m - 10kg
Bolt spacing	180x180 mm
Colour	Black
Material	Q235 galvanised steel



LED line PRIME Code: 206618 EAN: 5905378206618

Lighting split pole 4m black PRIME

Technical drawing Light distribution

Additional product photos












Logistics data







Single packaging

Width	280 mm
Height	1115 mm
Length	280 mm
Weight	17,6 kg

Bulk packaging

Quantity	1
Width	280 mm
Height	270 mm
Length	1130 mm
Weight	17,6 kg

Europallet

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME Code: 206618 EAN: 5905378206618

Lighting split pole 4m black PRIME

Example application